

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,828,806 B2
APPLICATION NO. : 10/501004
DATED : November 9, 2010
INVENTOR(S) : Graf et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 3, line 36, "better to" should read --to better--;

In Col. 4, line 5, "i's" should read --is--;

In Col. 6, line 35, "better to" should read --to better--;

In Col. 7, line 59, "fixation rods 110 ff" should read --fixation rods 110--;

In Col. 7, line 61, "fixation rods 110 ff" should read --fixation rods 110--;


In Claim 7, at col. 10, line 64, "can" should be deleted;

In Claim 19, at col. 12, line 8, "bone 3" should read --bone--;

In Claim 26, at col. 12, line 30, "0.degree.; .+-0.5.degree." should read --0°; ± 5°--; and

In Claim 27, at col. 12, line 33, "0.degree.; .+-0.5.degree." should read --0°; ± 5°--.

Signed and Sealed this
Eleventh Day of January, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D" and a stylized "K".

David J. Kappos
Director of the United States Patent and Trademark Office